Jul-02	CLEC VOLUMES ARE BLANK, BUT MET STD. FLAG SET TO "NO", SHOULD BE "N/A"		
State	Prod ID	PID	DESCRIPTION
CO	02-01	GA-7	Timely Outage Resolution following Software Releases %
IA	02-01	GA-7	Timely Outage Resolution following Software Releases %
ID	02-01	GA-7	Timely Outage Resolution following Software Releases %
MT	02-01	GA-7	Timely Outage Resolution following Software Releases %
ND	02-01	GA-7	Timely Outage Resolution following Software Releases %
NE	02-01	GA-7	Timely Outage Resolution following Software Releases %
UT	02-01	GA-7	Timely Outage Resolution following Software Releases %
WA	02-01	GA-7	Timely Outage Resolution following Software Releases %
WY	02-01	GA-7	Timely Outage Resolution following Software Releases %

Jun-02	CLEC VOLUMES ARE BLANK, BUT MET STD. FLAG SET TO "NO", SHOULD BE "N/A"		
State	Prod ID	PID	DESCRIPTION
CO	02-01	GA-7	Timely Outage Resolution following Software Releases %
IA	02-01	GA-7	Timely Outage Resolution following Software Releases %
ID	02-01	GA-7	Timely Outage Resolution following Software Releases %
MT	02-01	GA-7	Timely Outage Resolution following Software Releases %
ND	02-01	GA-7	Timely Outage Resolution following Software Releases %
NE	02-01	GA-7	Timely Outage Resolution following Software Releases %
UT	02-01	GA-7	Timely Outage Resolution following Software Releases %
WA	02-01	GA-7	Timely Outage Resolution following Software Releases %
WY	02-01	GA-7	Timely Outage Resolution following Software Releases %

Jun-02	CLEC RESULT IS 100%, BUT MET STD. FLAG SET TO "NO", SHOULD BE "YES"		
State	Prod ID	PID	DESCRIPTION
CO	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
IA	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
ID	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
MT	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
ND	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
NE	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
UT	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
WA	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %
WY	02-01	GA-1D	Gateway Availability - IMA-GUI, SIA %

May-02	CLEC VOLUMES ARE BLANK, BUT MET STD. FLAG SET TO "NO", SHOULD BE "N/A"		
State	Prod ID	PID	DESCRIPTION
CO	02-01	GA-7	Timely Outage Resolution following Software Releases %
IA	02-01	GA-7	Timely Outage Resolution following Software Releases %
ID	02-01	GA-7	Timely Outage Resolution following Software Releases %
MT	02-01	GA-7	Timely Outage Resolution following Software Releases %
ND	02-01	GA-7	Timely Outage Resolution following Software Releases %
NE	02-01	GA-7	Timely Outage Resolution following Software Releases %
UT	02-01	GA-7	Timely Outage Resolution following Software Releases %
WA	02-01	GA-7	Timely Outage Resolution following Software Releases %
WY	02-01	GA-7	Timely Outage Resolution following Software Releases %